
*Please take a Real-World Problem-Solving Sheet & have your HW and log out  *While I am checking your HW  ~ Ask me any questions you had.  AND  ~ Write your thoughts for ALL parts of the real-world problem.  You may discuss with your peers, of course! ©  *Quick Quiz Still May Be Today ©	Name:	Date:	Unit 5 Class We
*While I am checking your HW  Ask me any questions you had.  AND  Write your thoughts for ALL parts of the real-world problem.  You may discuss with your peers, of course!	Happy Monda	y!!!	
<ul> <li>Ask me any questions you had.         AND     </li> <li>Write your thoughts for ALL parts of the real-world problem.         You may discuss with your peers, of course! ©     </li> </ul>			ving Sheet & have
<ul> <li>Write your thoughts for ALL parts of the real-world problem.</li> <li>You may discuss with your peers, of course! ©</li> </ul>	~ Ask me	0 ,	
	~ Write real-v	orld problem.	
			ers, of course! ©



Name: Date: Unit 5 Class Work

1. Your friend throws a ball straight up, from 4 feet above the ground with an initial velocity in feet per second. The height of the ball can be modeled by the function  $h = -0.05x^2 + 0.4x + 4$ , where x is the horizontal distance, in feet, from the point where your friend is standing. Part A.  $x = \frac{b}{2a} = \frac{0.4}{2(-0.05)} = \frac{0.4}{1} = \frac{4}{1}$ vertex h=-0.05(16)+0.4(4)+4 h=4.8 (4,48) The ball reaches max. height of 4.8ft when it is 4ft away. Part B: max - throun up : day a is neg. Part C: before by max height happens

4ft away h=-0.05(9)+0.4(3)+4 Part D: hit grand => h=0 h=0 0=-0.05x²+0.4x+4 X= 13ft away

Name: Date: Unit 5 Class Work

1. Your friend throws a ball straight up, from 4 feet above the ground with an initial velocity in feet per second. The height of the ball can be modeled by the function  $h = -0.05x^2 + 0.4x + 4$ , where x is the horizontal distance, in feet, from the point where your friend is standing.

Lenka makes and sells crystal jewelry. She determined that her monthly profit is determined by the price she chooses to sell each bracket for. The function P = -b<sup>2</sup> + 80b - 500 models the monthly profit she makes from selling bracelests at any given price, b.

b: selling price per bracelet P: profit earned

A) might not sell a lob if too expensive  $(x) = \frac{-b}{2a} = \frac{-80}{-2} = $140$ She should for $40$$  $p = -(40)^2 + 320 + 500$ to earn a profit \$1100 P=-1600+3200-500 pemanth P= \$1100

Con	cept Learn	ed:				
One	Specific E	xample:				
Rele	vance:					
				(ignore "comp thod) and p. 2		ng the square," but rather determine th # 14
	•					
Solu	tions					
37.	a. (60, 5	000)	b.	\$5000	c.	\$60
39.	a. (59, 3	6.81)	b.	36.81 feet	c.	when $x$ is 5, $h$ is 7.65 feet
			d.	when h is zer	o, x	= 120 feet (by quadratic formula)
			e.	The ball neve	er fa	alls back down in the linear model.
14.	After 4.25	seconds,	the	rocket reache	s a	maximum height of 144.5 meters

 lan 10 0:11	